

BULLETIN#: PE812

ENGINE: DE300PXII  
DE300PZII/DE300CXII

BOAT TYPE: Offshore

DATE OF TEST: 10/21/10



Bombardier Recreational Products Inc.  
10101 Science Drive  
Sturtevant, WI 52177  
[www.evinrude.com](http://www.evinrude.com)



Dusky Marine Inc.  
110 North Bryan Road  
Dania Beach, FL 33004  
954-922-8890  
[www.dusky.com](http://www.dusky.com)



### 2011 Dusky 33 Open

BOAT	
<b>2011 Dusky 33 Open</b>	
Material:	Fiberglass
Length:	33'
Beam:	10' 10"
Weight W/Engines:	Approx. 10,000 LBS Dry
Maximum HP:	900 HP
Fuel Capacity:	300 Gallons
Transom Height:	25"/30"/25" Shaft
Steering:	Hydraulic

ENGINE	
<b>2011 Evinrude® ETEC® 300 HP TRIPLE</b>	
Engine Type:	90° V6
Horsepower:	300 HP @ 5500 RPM
Displacement:	3.4 Litre
Induction:	TEC DFI
Operating Range:	5000-6000 RPM
Weight:	528 LBS Dry Weight
Gear Ratio:	1.85:1

PROPELLER	
<b>BRP Rebel™</b>	
Material:	Stainless Steel
Diameter/Pitch:	14 3/4" x 23"
No. of Blades:	3
Part Number:	H 763998 / LH 763999
MOUNTING HEIGHT	
Hole Position:	#1
Jack Plate:	N/A
Motor Height:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	3.1	0.64	4.9	1318
1000	6.7	2.47	2.7	733
1500	9.2	5.98	1.5	415
2000	12.3	14.71	0.8	225
2500	21.5	21.20	1.0	274
<b>3000</b>	<b>31.3</b>	<b>24.30</b>	<b>1.3</b>	<b>348</b>
3500	37.7	29.37	1.3	346
4000	45.2	38.59	1.2	316
4500	51.3	51.26	1.0	270
5000	56.8	66.74	0.9	230
5500	61.6	76.28	0.8	218
6000	67.8	77.78	0.9	236

Fuel Data Based on Triple Engines. Range (Miles) Based On 90% Fuel Capacity

TEST CONDITIONS	
Water Conditions:	Calm
Wind Velocity:	E 1 to 3 MPH
Air Temperature:	95° F
Fuel Load:	100 Gal
Weight:	2 Men (550 lbs.), Fuel, test & safety gear Fiberglass T-Top, 4 Group 27 Batteries

PERFORMANCE SUMMARY
Top Speed: <b>67.8 MPH</b>
Best Fuel Efficiency: <b>1.3 MPG with a range of 348 Miles @ 31.3MPH</b>
Acceleration: <b>3.53 seconds to plane</b>

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2010 BRP US Inc. All rights reserved.

™ and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

